

# DASS<sup>1</sup>

Name:

Date:


Please read each statement and circle a number 0, 1, 2 or 3 which indicates how much the statement applied to you *over the past week*. There are no right or wrong answers. Do not spend too much time on any statement.

*The rating scale is as follows:*

- 0 Did not apply to me at all
- 1 Applied to me to some degree, or some of the time
- 2 Applied to me to a considerable degree, or a good part of time
- 3 Applied to me very much, or most of the time

1	I found myself getting upset by quite trivial things	0	1	2	3
2	I was aware of dryness of my mouth	0	1	2	3
3	I couldn't seem to experience any positive feeling at all	0	1	2	3
4	I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3
5	I just couldn't seem to get going	0	1	2	3
6	I tended to over-react to situations	0	1	2	3
7	I had a feeling of shakiness (eg, legs going to give way)	0	1	2	3
8	I found it difficult to relax	0	1	2	3
9	I found myself in situations that made me so anxious I was most relieved when they ended	0	1	2	3
10	I felt that I had nothing to look forward to	0	1	2	3
11	I found myself getting upset rather easily	0	1	2	3
12	I felt that I was using a lot of nervous energy	0	1	2	3
13	I felt sad and depressed	0	1	2	3
14	I found myself getting impatient when I was delayed in any way (eg, lifts, traffic lights, being kept waiting)	0	1	2	3
15	I had a feeling of faintness	0	1	2	3
16	I felt that I had lost interest in just about everything	0	1	2	3
17	I felt I wasn't worth much as a person	0	1	2	3
18	I felt that I was rather touchy	0	1	2	3
19	I perspired noticeably (eg, hands sweaty) in the absence of high temperatures or physical exertion	0	1	2	3
20	I felt scared without any good reason	0	1	2	3
21	I felt that life wasn't worthwhile	0	1	2	3

<sup>1</sup> The Depression Anxiety and Stress Scales were developed by Lovibond, S. H. & Lovibond, P. F. For copies of the scale, a scoring template and further information, please see [www.psy.unsw.edu.au/dass/](http://www.psy.unsw.edu.au/dass/)

*Please turn the page* 

*Reminder of rating scale:*

- 0 Did not apply to me at all
- 1 Applied to me to some degree, or some of the time
- 2 Applied to me to a considerable degree, or a good part of time
- 3 Applied to me very much, or most of the time

22	I found it hard to wind down	0	1	2	3
23	I had difficulty in swallowing	0	1	2	3
24	I couldn't seem to get any enjoyment out of the things I did	0	1	2	3
25	I was aware of the action of my heart in the absence of physical exertion (eg, sense of heart rate increase, heart missing a beat)	0	1	2	3
26	I felt down-hearted and blue	0	1	2	3
27	I found that I was very irritable	0	1	2	3
28	I felt I was close to panic	0	1	2	3
29	I found it hard to calm down after something upset me	0	1	2	3
30	I feared that I would be "thrown" by some trivial but unfamiliar task	0	1	2	3
31	I was unable to become enthusiastic about anything	0	1	2	3
32	I found it difficult to tolerate interruptions to what I was doing	0	1	2	3
33	I was in a state of nervous tension	0	1	2	3
34	I felt I was pretty worthless	0	1	2	3
35	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3
36	I felt terrified	0	1	2	3
37	I could see nothing in the future to be hopeful about	0	1	2	3
38	I felt that life was meaningless	0	1	2	3
39	I found myself getting agitated	0	1	2	3
40	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3
41	I experienced trembling (eg, in the hands)	0	1	2	3
42	I found it difficult to work up the initiative to do things	0	1	2	3

**SCORING**

The DASS provides three scores, one for depression, one for anxiety and one for stress. The scores are obtained by summing the items for each scale.

Depression = Items 3, 5, 10, 13, 16, 17, 21, 24, 26, 31, 34, 37, 38, 42.

Anxiety = Items 2, 4, 7, 9, 15, 19, 20, 23, 25, 28, 30, 36, 40, 41.

Stress = Items 1, 6, 8, 11, 12, 14, 18, 22, 27, 29, 32, 33, 35, 39.